



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/768,077	768,077 01/22/2001		John K. Gallant	RIC00015	2507
25537	7590	05/05/2004		EXAMINER	
MCI, INC	OGY LA	W DEPARTMENT	TON, ANTHONY T		
		NW, 10TH FLOOR	ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20036				2661	5
				DATE MAILED: 05/05/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

h

				Λ					
	Appli	cation No.	Applicant(s)	Tw					
		68,077	GALLANT ET AL.						
Office Action Summary		iner	Art Unit						
		ony T Ton	2661						
The MAILING DATE of this con Period for Reply	nmunication appears o	n the cover sheet with the	correspondence address						
A SHORTENED STATUTORY PERIOD THE MAILING DATE OF THIS COMITIES OF THIS COMITIES OF THIS COMITIES OF THIS COMITIES OF THE MAILING DATE OF THIS COMITIES OF THE MAILING THE MAIL	MUNICATION. visions of 37 CFR 1.136(a). In s communication. hirty (30) days, a reply within th num statutory period will apply so or reply will, by statute, cause th onths after the mailing date of t	no event, however, may a reply be e statutory minimum of thirty (30) c and will expire SIX (6) MONTHS fro e application to become ABANDO	timely filed lays will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).						
Status									
1) Responsive to communication(	s) filed on <u>22 January</u>	<u>2001</u> .							
2a) ☐ This action is <b>FINAL</b> .	2b)☐ This action	is non-final.							
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims	,								
4) Claim(s) 1-22 is/are pending in	the application.								
4a) Of the above claim(s)		n consideration.							
5)⊠ Claim(s) <u>4-22</u> is/are allowed.	,								
6) Claim(s) is/are rejected.									
7) Claim(s) 1-3 is/are objected to.	· · · · · · · · · · · · · · · · · · ·								
8) Claim(s) are subject to r	estriction and/or electi	on requirement.							
Application Papers									
9)⊠ The specification is objected to		_							
10)⊠ The drawing(s) filed on 10 April									
Applicant may not request that any									
Replacement drawing sheet(s) inc									
11) The oath or declaration is object	ted to by the Examine	r. Note the attached Offi	ce Action or form PTO-152.						
Priority under 35 U.S.C. § 119									
12) Acknowledgment is made of a capacity and All b) Some * c) None  1. Certified copies of the property of the property of the property of the certified copies of the property of the certified copies of the property of the certified copies of the	of: iority documents have iority documents have opies of the priority doc rnational Bureau (PCT	been received. been received in Applic cuments have been rece Rule 17.2(a)).	ation No ived in this National Stage						
Attachment(s)		□ <del>.</del>	(DTO 440)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Re</li> </ol>	view (PTO-948)	4) Interview Summ Paper No(s)/Mai							
Notice of Draitsperson's Faterit Drawing Re     Information Disclosure Statement(s) (PTO-1     Paper No(s)/Mail Date 4.			al Patent Application (PTO-152)						

Application/Control Number: 09/768,077

Art Unit: 2661

### EX PARTE QUAYLE ACTION

This application is in condition for allowance except for the following formal matters:

1. The abstract of the disclosure is objected to because the abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. 37 CFR 1.72(b)

Correction is required. See MPEP § 608.01(b).

- 2. The specification is objected to because of the following minor informalities:
- a) Appropriate Application Serial Number in page 1 lines 14, 19, 23 and 27; and page 2 line 2 should be provided.
- b) A table at the top of page 19, which is used to tabulate ATM setup message parameters, has not been labeled by any name.

Examiner suggests adding term "Table 1" to the top of the table for being distinguished with other tables in the specification.

c) A table at the bottom of **page 38**, which is used to tabulate input ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 2" to the top of the table for being distinguished with other tables in the specification.

d) A table at the top of page 39, which is used to tabulate output ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 3" to the top of the table for being distinguished with other tables in the specification.

Page 2

Application/Control Number: 09/768,077

Art-Unit: 2661

e) A table at the bottom of **page 47**, which is used to tabulate input ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 4" to the top of the table for being distinguished with other tables in the specification.

f) A table at the top of **page 48**, which is used to tabulate output ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 5" to the top of the table for being distinguished with other tables in the specification.

g) Two tables in **page 49**, which is used to tabulate destination and input ATM setup message parameters and value, have not been labeled by any name.

Examiner suggests adding terms "Table 6" and "Table 7" to the tables respectively for being distinguished with other tables in the specification.

h) A table in **page 50**, which is used to tabulate output ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 8" to the top of the table for being distinguished with other tables in the specification.

i) A table at the top of **page 51**, which is used to tabulate destination ATM setup message parameters and value, has not been labeled by any name.

Examiner suggests adding term "Table 9" to the top of the table for being distinguished with other tables in the specification.

j) Term "an SVC" in page 6 lines 15 and 32; in page 16 line 5; in page 18 lines 1 and 26; in page 19 lines 28-29; in page 20 lines 3 and 25; in page 23 lines 16-17; in page 24 lines 12 and

Application/Control Number: 09/768,077

Art Unit: 2661

32; in page 25 lines 5, 9, 18 and 23; in page 29 lines 8 and 11; in page 31 line 20; in page 33 lines 8 and 22; in page 34 line 11; in page 35 line 10; in page 36 lines 9, 11 and 14; and page 52 line 26 is not proper.

Examiner suggests changing this term to "a SVC".

Appropriate correction is required.

3. Claims 1-3 are objected to because of the following informalities:

## a) In Claim 1:

i) Semicolons ";" in line 12, line 13 and line 15 are not consistent with commas "," that were used in lines 8 and 9.

Examiner suggests changing these semicolons ";" to commas "," to be consistent with the commas recited in the lines 8 and 9.

ii) The comma "," that is used between term "parameter" and term "and" in line52 is not proper.

Examiner suggests deleting this comma, and changing the term "parameter, and" in line 52 to "parameter and" for not confusing with the commas recited in lines 45, 46, 47, 49 and 53.

- b) In Claim 2: Term "are implement" in line 3 is not correct in English grammar. Examiner suggests changing this term to "are implemented".
- c) In Claim 3: Term "through analyzing the input" in lines 3-4 is not proper.

Examiner suggests changing this term to "through the analyzed input". (see term "analyze the input" in Claim 1 line 8 for such a suggestion).

Art Unit: 2661

Prosecution on the merits is closed in accordance with the practice under Ex parte

Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

#### Allowable Subject Matter

- 4. Claims 4-22 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The prior art fails to teach a combination, other claim limitations, an intelligent network comprising:

a multi-service control point operable to designate an ATM address of called party CPE to be stored in a first instance of a called party subaddress parameter of an output ATM setup message;

an ATM signaling intercept processor operable to generate the output ATM setup message using the output that includes the ATM address of the egress ATM edge switch stored in the called party number parameter, the ATM address of the called party CPE stored in the first instance of the called party subaddress parameter, and the called party phone number value stored in a second instance of the called party subaddress;

a second multi-service control point operable to designate the ATM address of the called party CPE that was stored in the first instance of the called party subaddress parameter of the output ATM setup switch to be stored in the called party number parameter of a destination ATM setup message; and

Art Unit: 2661

a second ATM signaling intercept processor operable to generate the destination ATM setup message using the egress output that includes the ATM address of the called party CPE stored in the called party parameter, and the called party phone number value stored in the called party subaddress parameter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony T. Ton whose telephone number is 703-305-8956. The examiner can normally be reached on Monday-Friday from 8:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W Olms, can be reached on (703) 305-4703. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

ATT 4/30/2004

KENNETH VANDERPUYE PRIMARY EXAMINER